



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

Below is a list of all ENERGY STAR qualified Residential Light Fixtures as of December 28, 2001. Use this list to help you find products that will save you energy and money. Take this list with you to your local retailer or distributor or look for products bearing the ENERGY STAR label.

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Adjustable Fixture Company	Nightingale	637-26W		Indoor living and study areas	11/29/99
Adjustable Fixture Company	Nightingale	637-32W		Indoor living and study areas	11/30/99
Adjustable Fixture Company	Nightingale	637-42W		Indoor living and study areas	11/30/99
American Fluorescent Corporation	American Fluorescent	AAC-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAC-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAW-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AAWC-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	AD-240E8	38	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-120E8	22	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-130E8	26	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-140E8	32	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-220E8	17	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-230E8	28	Bath	03/02/01
American Fluorescent Corporation	American Fluorescent	ADWC-240E8	38	Bath	03/02/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
American Fluorescent Corporation	American Fluorescent	COR-120E8	22		Corridor	03/02/01
American Fluorescent Corporation	American Fluorescent	COR-130E8	26		Corridor	05/03/01
American Fluorescent Corporation	American Fluorescent	COR-140-8E8	38		Corridor	05/03/01
American Fluorescent Corporation	American Fluorescent	COR-140E8	32		Corridor	03/02/01
American Fluorescent Corporation	American Fluorescent	CU-220E8	17		Laundry	03/09/01
American Fluorescent Corporation	American Fluorescent	CU-230E8	28		Laundry	03/09/01
American Fluorescent Corporation	American Fluorescent	CU-240E8	38		Laundry	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-120E8	22		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-130E8	26		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-140E8	32		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-220E8	17		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-230E8	28		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	DV-240E8	38		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-120E8	22		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-130E8	26		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-140E8	32		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-220E8	17		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-230E8	28		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	HDL-240E8	38		Bath	03/09/01
American Fluorescent Corporation	American Fluorescent	UT-120E8	22		Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-130E8	26		Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-140E8	32		Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-220E8	17		Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-230E8	28		Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	UT-240E8	38		Kitchen	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAB-20E8	38		Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAB-220E8	17		Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAB-230E8	28		Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAC-220E8	17		Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAC-230E8	28		Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AAC-240E8	38		Bath	03/12/01
American Fluorescent Corporation	American Fluorescent	V8AFBC-220E8	17		Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AFBC-230E8	28		Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AFBC-240E8	38		Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AG-220E8	17		Bath	03/13/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	V8AG-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AG-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGD-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGD-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGD-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGL-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGL-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGL-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGS-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGS-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AGS-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8ASCB-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8ASCB-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8ASCB-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AW-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AW-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8AW-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BB-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BB-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BB-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BC-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BC-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BC-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BM-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BM-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BM-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMG-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMG-230E8		Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMG-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMP-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMP-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8BMP-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CG-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CG-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CG-240E8	38	Bath	03/13/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	V8CR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CW-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CW-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8CW-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8DBC-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8DBC-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8DBC-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FP-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FP-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FP-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FRT-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FRT-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FRT-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FTR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FTR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FTR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FV-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FV-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8FV-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HP-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HP-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HP-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HRT-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HRT-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HRT-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HTR-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HTR-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HTR-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HV-220E8	17	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HV-230E8	28	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8HV-240E8	38	Bath	03/13/01
American Fluorescent Corporation	American Fluorescent	V8MM-220E8	17	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8MM-230E8	28	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8MM-240E8	38	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PN-220E8	17	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PN-230E8	28	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PN-240E8	38	Bath	03/14/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	V8PS-220E8	17	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PS-230E8	28	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8PS-240E8	38	Bath	03/14/01
American Fluorescent Corporation	American Fluorescent	V8RFP-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RKP-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RKP-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RKP-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRP-220E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRP-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRP-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRRT-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRRT-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRRT-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRTR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRTR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRTR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRV-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRV-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8RRV-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SG-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SG-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SG-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8SW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8TR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8TR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8TR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WC-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WM-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WM-230E8	28	Bath	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	V8WM-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WO-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WO-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	V8WO-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBA-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBA-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBA-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAG-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAG-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAG-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAR-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAR-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VBAR-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCK-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCK-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCK-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VCW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VMW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VMW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VMW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VPN-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VPN-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VPN-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRB-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRB-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRB-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRC-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VRW-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSF-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSF-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSF-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSC-230E8	28	Bath	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	VSC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSK-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSK-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSK-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSW-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSW-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VSW-240E8	38	Bath	05/03/01
American Fluorescent Corporation	American Fluorescent	VWB-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWB-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWB-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWC-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWC-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWC-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWK-220E8	17	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWK-230E8	28	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	VWK-240E8	38	Bath	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-H-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HK-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-HW-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-240E8	38	Bedroom	03/15/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
American Fluorescent Corporation	American Fluorescent	WAD-L-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-L-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LK-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-LW-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-240E8	38	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-330E8	30	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WAD-W-340E8	40	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-120E8	22	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-130E8	26	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-140E8	32	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-220E8	17	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-230E8	28	Bedroom	03/15/01
American Fluorescent Corporation	American Fluorescent	WSP-240E8	38	Bedroom	03/15/01
BAVCO Manufacturing/LiteSmart	LiteSmart	LSSC1302EM		Room/Indoor	11/30/99
CLI Fixtures, Inc.	CLI FIXTURES	BL-226		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	BL-339		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-13		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-26		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-39		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	COR-Q44		Decorative Vanity	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	CSL-13		Hallways, Coridors, Entrances	04/21/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
CLI Fixtures, Inc.	CLI FIXTURES	CSL-18		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CSL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CSL-Q22		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	CTL-226		Bathrooms	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	CTL-339		Bathrooms	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LAP-226		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LAP-339		Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-13		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-18		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	LGL-Q22		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MNL-13		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MNL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-13		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-18		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-26		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MSL-Q22		Hallways, Coridors, Entrances	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MTC-13		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MTC-9		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	MWS-13		Hallways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MWS-18		Hallways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	MWS-26		Hallways	04/21/99
CLI Fixtures, Inc.	CLI FIXTURES	RNL-13		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	RNL-18		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	RNL-26		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	THL-13		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	THL-9		Hallway, Coridors, Entrances	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTW-13		Lobbies, Apartments, Hotels, Hallways	04/26/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
CLI Fixtures, Inc.	CLI FIXTURES	TTW-18			Lobbies, Apartments, Hotels, Hallways	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	TTW-26			Lobbies, Apartments, Hotels, Hallways	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VL-226			Bathrooms, Bedrooms, Halls	04/26/99
CLI Fixtures, Inc.	CLI FIXTURES	VL-339			Bathrooms, Bedrooms, Halls	04/26/99
Cooper Lighting	Fail-Safe	TRE-15CF142CTDT WHLEM	43.32			07/16/01
Cooper Lighting	Lumark	LFE13PCW	16.36		13w Fluorescent Entry Light w/ Photo Control (White)	07/27/01
Cooper Lighting	Regent	FE13PCW	16.36			05/07/01
Cooper Lighting	Regent	W70HPC	86.1			05/07/01
Eastern Fixture Company Inc.	Eastern	1102/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	13213	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	210/PL13EBO	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	2102/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2102/2PL13E BO	27		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	2102/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2102/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	2103	23		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	2103/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2103/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	2103/3PL13E BO	40		Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2103/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	2104/2PL26E BO	52		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	2104/2PL26E BO	72		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	2104/3PL26E BO	80		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	2104/3PL26E BO	80		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	3201/2PL13E BO	28		Living room, hallway, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	3201/PL13EB O	14		Living room, hallway, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	6102/2PL13	32		Living room, hallway, kitchen	07/18/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Eastern Fixture Company Inc.	Eastern	6102/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	6102/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	6102/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	6103	33		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	6103/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	6103/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	6103/3PL13E BO	40		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	6103/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	6104/2PL26E BO	52		Hallway, family room, kitchen	07/19/01
Eastern Fixture Company Inc.	Eastern	6104/3PL26E BO	80		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7102/2PL13E BO	27		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	7102/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7102/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	7102/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7102/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/23L13E BO	40		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	7103/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7103/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	7104/2PL/26E BO	56		Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	7104/3PL26E BO	80		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	8102/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8102/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	8102/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103	33		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103/2PL13	32		Living room, hallway, kitchen	07/18/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Eastern Fixture Company Inc.	Eastern	8103/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103/3PL13E BO	40		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8103/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	8103/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	8104/2PL26E BO	52		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	8104/3PL26E BO	80		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	9102/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9102/2PL13E BO	27		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	9102/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9102/PL13EB O	901		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	9103/2PL13	32		Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9103/2PL13E BO	27		Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	9103/3PL13E BO	40		Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9103/PL13	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	9103/PL13EB O	14		Hallway, kitchen, living room	07/19/01
Eastern Fixture Company Inc.	Eastern	9104/2PL26	56		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	9104/3PL26E BO	80		Hallway, kitchen, family room	07/18/01
Eastern Fixture Company Inc.	Eastern	ACB120EBO	23		Bathroom	08/29/01
Eastern Fixture Company Inc.	Eastern	ACB220EBO	35		Bathroom	08/27/01
Eastern Fixture Company Inc.	Eastern	ACB230EBO	56		Bathroom	08/27/01
Eastern Fixture Company Inc.	Eastern	ACB240EBO	70		Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	BC1613	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	BDBA1113	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	BP130EBO	31		Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastern	BP220EBO	40		Kitchen, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	BP230EBO	56		Kitchen, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	BP230EBO	56		Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	CB120EBO	23		Bathroom	08/29/01
Eastern Fixture Company Inc.	Eastern	CB2413	16		Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	CR50113	16		Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	CR5013	16		Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	CR5113-2	32		Living room, hallway	07/18/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastern	CR5213-2	16	Living room, hallway, kitchen	07/25/01
Eastern Fixture Company Inc.	Eastern	CRG5213/2PL 13EBO	26	Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	CRG5213/2PL 13EBO	26	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	CRG5213/3PL 13EBO	39	Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	CRG5213/3PL 13EBO	39	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	CRG5213/PL1 3EBO	14	Hallway, family room, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	CRG5213/PL1 3EBO	14	Hallway, kitchen, family room	07/19/01
Eastern Fixture Company Inc.	Eastern	DBA2013	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	DC120EBO	23	Bath	08/27/01
Eastern Fixture Company Inc.	Eastern	DC130EBO	31	Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastern	DC220EBO	40	Kitchen, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	DC230EBO	56	Kitchen, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	DC230EBO	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	DV120EBO	23	Outside hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	DV130EBO	31		08/27/01
Eastern Fixture Company Inc.	Eastern	DV220EBO	35	Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	DV230EBO	56	Hallway, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	DV240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	E10013	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	E2113	32	Living room, hallway	07/18/01
Eastern Fixture Company Inc.	Eastern	HOS230EBO	56	Bathroom, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	HOS240EBO	70	Bedroom	08/28/01
Eastern Fixture Company Inc.	Eastern	HOS320EBO	57		08/27/01
Eastern Fixture Company Inc.	Eastern	HOS330EBO	81	Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	MED-65-130EBO	31	Office, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	MED-65-230EBO	56	Bathroom, bedroom	08/27/01
Eastern Fixture Company Inc.	Eastern	MED230EBO	56	Bathroom, bedroom	08/28/01
Eastern Fixture Company Inc.	Eastern	MED65-240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	MED65220EBO	40	Bathroom	08/27/01
Eastern Fixture Company Inc.	Eastern	OG130EBO	58	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	OG140TEBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	PL13PA	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	PL13WA	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	PL213PA	32	Living room, hallway	07/18/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastern	PL213WA	32	Living room, hallway	07/18/01
Eastern Fixture Company Inc.	Eastern	PR230TEBO	106	Garage	08/28/01
Eastern Fixture Company Inc.	Eastern	PR240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	RT-65-230EBO	56	Kitchen, bathroom	08/28/01
Eastern Fixture Company Inc.	Eastern	RT130EBO	31	Office	08/27/01
Eastern Fixture Company Inc.	Eastern	RT65120EBO	23	Office, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	RT65220EBO	40	Kitchen	08/29/01
Eastern Fixture Company Inc.	Eastern	S120EBO	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastern	S120PVTEBO	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastern	S130EBO	31	Garage, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	S130TEBO	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	S230EBO	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	S230EBOPVT	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	S240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	S240PVTEBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	S240TEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastern	S240TPVTEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastern	S330EBO	81	Hallways, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	S440PVTEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastern	SAL-4217EBO	23	Office, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	SAL142230EBO	56	Kitchen, bathroom	08/28/01
Eastern Fixture Company Inc.	Eastern	SAL42-130EBO	31	Bathroom, office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	SAL4220	40	bathroom	08/29/01
Eastern Fixture Company Inc.	Eastern	SBA1113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	SBA2113	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	SI66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	SID66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	SM120EBO	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastern	SM120STGEB O	23	Hallways, kitchen, bedroom	08/29/01
Eastern Fixture Company Inc.	Eastern	SM130EBO	31	Kitchen, closets	08/27/01
Eastern Fixture Company Inc.	Eastern	SM130STGEB O	31	Garage, playroom, kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	SM130TSTGEB O	56	Bedroom, hallway, kitchen	08/28/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastern	SM140TEBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	SM220EBO	40	kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	SM220EBO	40		08/27/01
Eastern Fixture Company Inc.	Eastern	SM220RA	40		08/27/01
Eastern Fixture Company Inc.	Eastern	SM220STGEB O	40	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	SM230EBO	56	Living room, basement	08/27/01
Eastern Fixture Company Inc.	Eastern	SM230EBO	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	SM230RAEBO	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	SM230RAEBO	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	SM230STGEB O	56	Kitchen, bedroom, garage	08/28/01
Eastern Fixture Company Inc.	Eastern	SM230STGEB O	56	Bedroom, hallway, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	SM240TEBO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastern	SM240TSTGE BO	134	Basement, kitchen, closets	08/28/01
Eastern Fixture Company Inc.	Eastern	SM320RAEBO	57	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	SM340RAEBO	102		08/28/01
Eastern Fixture Company Inc.	Eastern	UN120EBO	23	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	UNW120EBO	23	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	UNW220EBO	40	Kitchen	08/27/01
Eastern Fixture Company Inc.	Eastern	UNW230EBO	56	Kitchen, office	08/27/01
Eastern Fixture Company Inc.	Eastern	UNW240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	V121113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	V122113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	V8113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	V81213	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	VL120EBO	23	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	VL130EBO	31	Office	08/27/01
Eastern Fixture Company Inc.	Eastern	VL220EBO	40	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	VL230EBO	56		08/27/01
Eastern Fixture Company Inc.	Eastern	VL230EBO	56	Hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	VP220EBO	40	Basement	08/27/01
Eastern Fixture Company Inc.	Eastern	VP240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	VT220EBO	40		08/27/01
Eastern Fixture Company Inc.	Eastern	VT240EBO	70	Office, kitchen	08/28/01
Eastern Fixture Company Inc.	Eastern	VW120EBO	23	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	VW130EBO	31	Office	08/27/01
Eastern Fixture Company Inc.	Eastern	VW220EBO	40	Hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	VW230EBO	56	Bedroom, hallways	08/27/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Date Added
			Watts	Suggested Use	
Eastern Fixture Company Inc.	Eastern	VW230EBO	56	Hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-2-120EBO	23	Office, hallway	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	W66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	W66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	W66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-4-420EBO	74	Hallway, office	08/27/01
Eastern Fixture Company Inc.	Eastern	W66-6-230TEBO	106	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	W66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WA1113	16	Hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	WA20	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	WA2113	32	Living room, hallway, kitchen	07/18/01
Eastern Fixture Company Inc.	Eastern	WI66-2-120-EBO	23	Office, hallway	08/28/01
Eastern Fixture Company Inc.	Eastern	WI66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	WI66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	WI66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	WI66-4-420EBO	74	Hallway, office	08/27/01
Eastern Fixture Company Inc.	Eastern	WI66-6-230TEBO	106	Office, hallways	08/28/01
Eastern Fixture Company Inc.	Eastern	WI66-8-140TEBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WID-66-2-120EBO	23		08/27/01
Eastern Fixture Company Inc.	Eastern	WID66-2-220EBO	40	Office, hallways	08/29/01
Eastern Fixture Company Inc.	Eastern	WID66-3-130EBO	31	Office, hallway	08/27/01
Eastern Fixture Company Inc.	Eastern	WID66-3-230EBO	56	Office, hallways	08/27/01
Eastern Fixture Company Inc.	Eastern	WID66-4-240EBO	70	Hallway, office	08/28/01
Eastern Fixture Company Inc.	Eastern	WID66-6-230TEBO	106	Office, hallways	08/28/01
Good Earth Lighting, Inc.	Empire Collection	G3885	28.5	Wall Scouce for Home.	06/29/01
Good Earth Lighting, Inc.	Good Earth	ES3011		Kitchen, Bath	06/30/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Good Earth Lighting, Inc.	Good Earth	ES3021		Kitchen, Bath	06/30/99
Good Earth Lighting, Inc.	Good Earth Lighting	G3130	22.5	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G3155	22.5	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G3885	22.5	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G3902	60.2	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4126	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4150	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4619	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4840	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	G4885	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL3155	22.5	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting	GL4840	45	Living room, bedroom, hallway	12/18/01
Good Earth Lighting, Inc.	Good Earth Lighting/ DuBois Wall Sconce	G3922-WH-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Europa Wall Sconce	G3952-PB-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ La Scala Wall Sconce	G3932-NK-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Terrazo Wall Sconce	G3942-WH-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Sparta Wall Sconce	G3902-PB-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth Lighting/ Tivoli Wall Sconce	G3912-PB-I		Wall Sconce for Residential and Commercial Use	04/21/99
Good Earth Lighting, Inc.	Good Earth/Glencoe	G3155		Wall sconce for home or commercial use	04/07/00
Good Earth Lighting, Inc.	Good Earth/Tuscany	G3130		Wall sconce for home or commercial use	04/07/00
INCON Industries	Incon	10111-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	10141-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	10141-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date Added
			Watts			
INCON Industries	Incon	10191-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	10191-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11501-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/27/01
INCON Industries	Incon	11501-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11503-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11503-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11504-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	11504-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13011-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13019-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13051-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	13059-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14001-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14001-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14500-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14500-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14501-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14501-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®


ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
INCON Industries	Incon	14502-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14502-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14503-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14503-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14504-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14504-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	14507-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	15407-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16005-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16111-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	16141-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	16141-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	16191-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	16191-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	16801-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16801-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16803-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16803-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	16805-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	16805-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17154-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17160-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	17160-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17161-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17161-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17162-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17162-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17163-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17163-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17164-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17167-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17167-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17370-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17370-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17371-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17371-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
INCON Industries	Incon	17372-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17372-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17373-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17373-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17374-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17374-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17377-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17377-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17400-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17400-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17401-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17401-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17402-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17402-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17403-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17403-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	17404-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17404-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
INCON Industries	Incon	17407-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	17407-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	18111-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	18119-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	19101-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	19105-1/26	30.6		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	21501-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21503-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21504-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21561-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21563-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21564-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21600-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21651-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21651-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21653-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21653-2/26	55.21		Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21671-1/26	30.6		Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	21671-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21675-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21675-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21681-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21681-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21685-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21685-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21691-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21691-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	21695-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	21695-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	22221-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	22221-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	22225-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	22225-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25000-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25000-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25002-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	25002-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25004-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25004-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25126-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25126-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25347-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	25347-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	25667-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26801-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26803-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26805-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26861-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26863-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	26865-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	27050-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	27050-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	27140-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	27171-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	28000-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	28001-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	28801-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	28802-1/28	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	28806-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	29903-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	29904-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	29906-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	31811-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	31819-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	31851-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	31859-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32001-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32111-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32519-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/27/01
INCON Industries	Incon	32551-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32559-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32711-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
INCON Industries	Incon	32719-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32751-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32759-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32801-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32809-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32811-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32819-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	32911-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32919-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32951-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	32959-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	39051-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	39059-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	44500-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	44500-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	47160-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01
INCON Industries	Incon	47160-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	47400-1/26	30.6	Living room, utility room, hallway, kitchen, bath, outdoor, hallway	12/22/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
INCON Industries	Incon	47400-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	51080-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	51081-2/26	55.21	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/26/01
INCON Industries	Incon	72305-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	76073-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	81105-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	81125-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	82225-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
INCON Industries	Incon	84445-1/26	30.6	Living room, utility room, bedroom, kitchen, bath, outdoor, hallway	12/24/01
Janmar Lighting	Decorative vanity fixture	1621-4X7		Bathroom	11/30/99
Janmar Lighting	Decorative vanity fixture	1621-4X9		Bathroom	11/30/99
Legion Lighting Company Incorporated		1265-117-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-125-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-132-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-217-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-225-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1265-232-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-117-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-125-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-132-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-217-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1285-225-ACP-EBO-ES		Powder room	12/23/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Legion Lighting Company Incorporated		1285-232-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-117-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-125-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-132-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-217-ACP-EBO/ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-225-ACP-EBO-ES		Powder room	12/23/99
Legion Lighting Company Incorporated		1294-232-ACP-EBO-ES		Powder room	12/23/99
Light Process Company	Light Process Co.	LP-DSC 13QS HP		Living room, hall.	04/07/00
Light Process Company	Light Process Co.	LP-PUFF DF17T8		Bathroom.	11/30/99
Light Process Company	Light Process Co.	LP-PUFF DF25T8		Bathroom.	11/30/99
Light Process Company	Light Process Co.	LP-PUFF DF32T8		Bathroom.	11/30/99
Light Process Company	Light Process Co.	LP-WSC13QSHP w/photo		Porch.	04/07/00
MaxLite SK America, Inc.	MaxLite	SKF18SI	20	Living room	03/29/01
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	10114		Any room or hallway	12/23/99
Michigan Avenue Industrial Corporation	Michigan Avenue Fluorescent	10131		Any room or hallway	12/23/99
Nutech Lighting Corporation	Nutech	2002		Hallway	10/25/00
OceanSide Coastal Lighting	Oceanside	S32-WX26E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-13E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-7E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-9E-XX		OUTDOOR-Decorative	10/25/00
OceanSide Coastal Lighting	Oceanside	S32WX-18E-XX		OUTDOOR-Decorative	10/25/00
Progress Lighting	Progress Lighting	710810-EB			04/19/00
Progress Lighting	Progress Lighting	710843-EB			04/21/00
Progress Lighting	Progress Lighting	716810-EB			04/19/00
Progress Lighting	Progress Lighting	716813-EB			04/19/00
Progress Lighting	Progress Lighting	716956-EB			04/19/00
Progress Lighting	Progress Lighting	716957-EB			04/19/00
Progress Lighting	Progress Lighting	717633-EB			04/19/00
Progress Lighting	Progress Lighting	717910-EB			04/19/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Progress Lighting	Progress Lighting	P5TG/26W/1 20V			04/19/00
Progress Lighting	Progress Lighting	P5TG/26W/2 77V			04/19/00
Progress Lighting	Progress Lighting	P5TG/32W/1 20V			04/19/00
Progress Lighting	Progress Lighting	P5TG/32W/2 77V			04/19/00
Progress Lighting	Progress Lighting	P5TG/42W/1 20V			04/19/00
Progress Lighting	Progress Lighting	P5TG/42W/2 77V			04/19/00
Ron Rezek Lighting	Ron Rezek	401/02/03		Strip Lights, Express	01/28/99
Ron Rezek Lighting	Ron Rezek	460		Wall Sconce, Cirrus 36"	11/12/98
Ron Rezek Lighting	Ron Rezek	461		Wall Sconce, Cirrus 24"	11/12/98
Ron Rezek Lighting	Ron Rezek	480		Wall Sconce, Dulcet	11/12/98
Ron Rezek Lighting	Ron Rezek	481		Wall Sconce, Half Dulcet	11/12/98
Ron Rezek Lighting	Ron Rezek	491/92/93		Strip lights, Flute	01/28/99
Ron Rezek Lighting	Ron Rezek	510		Wall Sconce, Facet Wall	11/12/98
Ron Rezek Lighting	Ron Rezek	560/61		Strip lights, Basic Strip	01/28/99
Ron Rezek Lighting	Ron Rezek	570		Wall Sconce, Pleats Wall	11/12/98
Ron Rezek Lighting	Ron Rezek	581/82		Wall Sconce, Wedges	11/12/98
Roselight	Roselight Inc.	102-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	102-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	102-PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	102-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	117-PL7		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	127-2PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	127-PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	127-PL9		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	140-2PL13		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-120		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-125		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-225		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-230		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	211-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-120		Residential/Commercial	09/27/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u> <u>Watts</u>	<u>Suggested Use</u>	<u>Date</u> <u>Added</u>
Roselight	Roselight Inc.	243-125		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-130		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-132		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-140		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-220		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-230		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-232		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	243-240		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	247-217		Residential/Commercial	09/27/99
Roselight	Roselight Inc.	247-417		Residential/Commercial	09/27/99
Sea Gull Lighting Products Incorporated	SGLP	4908-68E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4918-68E		Comidor	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4919-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4924-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4925-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4929-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4930-68E		Also Ceiling-Mounted. Comidor.	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4931-15E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4934-33E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4938-15E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4939-68E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4940-68E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4941-68E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4949-15E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4950-57E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4951-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4952-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4953-02E		Comidor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4953-15E		Comidor/Hall	02/25/99

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input Watts</u>	<u>Suggested Use</u>	<u>Date Added</u>
Sea Gull Lighting Products Incorporated	SGLP	4958-15E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4960-15E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4963-02E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4966-15E		Also Outdoor. Hall/Entrance.	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4966-72F		Also Outdoor. Hall/Entrance.	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4967-09E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4967-26E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4969-09E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4969-26E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4972-02E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4980-02E		Hall/Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4983-15E		Under Cabinet	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4984-15E		Under Cabinet	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4986-15E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4988-32E		Coridor/Hall	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4995-02E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4998-02E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4998-02E		Bathroom	02/25/99
Sea Gull Lighting Products Incorporated	SGLP	4999-02E		Bathroom	02/25/99
Simkar Corporation	SIMKAR	SMCW240-E1	90	Kitvhen, utility room, bath, hallway	07/30/01
Technical Consumer Products	Technical Consumer Products	X034302-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062901NU-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062902NU-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062902NU-13	15	Any room	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Technical Consumer Products	Technical Consumer Products	X062902NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062902NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062903NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062904NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062905NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062906NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-13	2		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062907NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062908NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062909NU-13	14		Any room	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

Company	Brand	Model	Total Input		Suggested Use	Date
			Watts			Added
Technical Consumer Products	Technical Consumer Products	X062909NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062909NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062909NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X062910NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070101NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070201NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X070301NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X092607NU-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094302-13	14		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094302-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094302-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094303-14	15		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094303-18	19		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X094303-26	27		Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X096101-13	14		Any room	12/21/01

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.



ENERGY STAR®

ENERGY STAR® Qualified Residential Light Fixtures

List of Qualified Products

WALL-MOUNTED LIGHTING FIXTURES

<u>Company</u>	<u>Brand</u>	<u>Model</u>	<u>Total Input</u>		<u>Date Added</u>
			<u>Watts</u>	<u>Suggested Use</u>	
Technical Consumer Products	Technical Consumer Products	X096101-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X096101-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X096101-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124201-1-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124301-1-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124401-1-26	27	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-13	14	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-14	15	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-18	19	Any room	12/21/01
Technical Consumer Products	Technical Consumer Products	X124601-1-26	27	Any room	12/21/01
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF18813		Indoor room.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LF18913		Indoor room.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LFHS13		Indoor room.	04/07/00
U.S. Energy Technologies Inc.	U.S. Energy Technologies	LFPA13		Indoor room.	04/07/00

CFLs generally use 1/4 the wattage of an incandescent while providing the same quantity of light.